## MYOEPITHELIAL HAMARTOMA OF THE STOMACH SIMULATING A GASTRIC CARCINOMA. A CASE REPORT

Teresa Rosanna Portale<sup>1</sup>, Francesco Mosca<sup>1</sup>, Salvatore Vicari<sup>1</sup>, Giuseppa Pulvirenti<sup>1</sup>, Simona Fichera<sup>1</sup>, Edvige Salomone<sup>2</sup>, and Stefano Puleo<sup>1</sup>

<sup>1</sup>Surgical Science Department, University of Catania, Catania; <sup>2</sup>Pathological Anatomy Service, Vittorio Emanuele Hospital, Catania, Italy

Myoepithelial hamartoma is a very rare submucosal tumor of the stomach. Magnus-Alsleben first described 5 cases of this tumor in 1903. More recently (1993) Vandelli *et al.* published a review of the literature comprising only 33 cases. Histologically, the tumor is characterized by hypertrophic smooth muscle

bands surrounding diverse epithelial elements that can be arranged in different ways: as a simple glandular structure, Brunner's gland, pancreatic ducts and occasionally pancreatic acinus. We report a case of myoepithelial hamartoma of the stomach simulating a gastric carcinoma.

Key words: gastric carcinoma, gastric myoepithelial hamartoma, surgical treatment.