Spontaneous rupture of giant gastric GIST presenting as hemoperitoneum and mimicking cavernous liver angioma

Valentino Fiscon, Giuseppe Portale, Roberto Isoardi, Flavio Frigo, and Giovanni Migliorini

Department of General Surgery, Azienda ULSS 15 Alta Padovana, Cittadella (Padova), Italy

ABSTRACT

Spontaneous rupture of gastrointestinal stromal tumor (GIST) with hemoperitoneum is an extremely rare clinical presentation of this mesenchymal tumor. We report the unusual case of a 68-year-old man who was admitted to the hospital with abdominal pain. While waiting for the results of his laboratory tests the patient became pale and tachycardic and his abdomen distended with generalized rebound tenderness. A CT scan suggested rupture of a cavernous angioma of the liver and the patient was brought to the operating room for an explorative laparoscopy, which revealed hemoperitoneum from a ruptured giant gastric GIST. After conversion to laparotomy, the tumor was excised: it was $11 \times 10 \times 5$ cm in size, with massive necrosis and clotted blood inside. Immunohistochemical examination revealed reactivity to c-KIT and CD34, consistent with the diagnostic criteria for GIST, with low mitotic activity (<5/50 HPF). The postoperative course was uneventful, and the clinical and radiological follow-up at 6 months is negative for recurrence.

Key words: gastrointestinal stromal tumors (GIST), hemoperitoneum, mesenchymal tumor, cavernous liver angioma.

Correspondence to: Valentino Fiscon, MD, Department of General Surgery, Azienda ULSS 15 Alta Padovana, Via Riva Dell'Ospedale 1, 35013 Cittadella, Padova, Italy.
Tel +39-049-9425561; fax +39-049-9425565; e-mail valentino.fiscon@virgilio.it

Received March 7, 2008; accepted July 11, 2008.